

10.18 Assembly sets GN 965 and GN 968

Selection of the appropriate assembly sets

ELESA+GANTER offers many products which are compatible with the most common T-Slot Profile Systems. Show the tables to select the assembly set you need.

GN 965 / GN 968 - Assembly sets for profile systems GN 965/GN 968

Assembly sets GN 965 / GN 968	Type A	Type B	Type C	Type D	Type E
Compatible GN standards in ascending order of the standard number	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A
Bridge handles EBP (see page 428)	EBP 110-6... EBP 150-8... EBP 140-6... EBP 140-8... EBP 180-8... EBP 200-8...	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A
Guard safety handles ESB (see page 429)	ESB 110-6... ESB 150-8... ESB 140-6... ESB 140-8... ESB 180-8... ESB 200-8...	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A
Panel support clamps PC (see page 430)	PC 110-6... PC 150-8... PC 140-6... PC 140-8... PC 180-8... PC 200-8...	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A
Cam action indexing plungers GN 612.9 (see page 431)	GN 612.9-...-16... GN 612.9-...-20...	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A
Cam action indexing plungers GN 612.9 (see page 431)	GN 612.9-...-16... GN 612.9-...-20...	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 965-8-M5-20-A GN 965-8-M5-25-A

Compatible GN standards
in ascending order
of the standard numbers

Cam action indexing plungers GN 612.9 (see page 431)	GN 612.9-...-16... GN 612.9-...-20...	GN 965-8-M5-20-A GN 965-8-M5-25-A
Bridge handles EBP (see page 428)	EBP 110-6... EBP 150-8... EBP 140-6... EBP 140-8... EBP 180-8... EBP 200-8...	GN 965-8-M5-20-A GN 965-8-M5-25-A
Guard safety handles ESB (see page 429)	ESB 110-6... ESB 150-8... ESB 140-6... ESB 140-8... ESB 180-8... ESB 200-8...	GN 965-8-M5-20-A GN 965-8-M5-25-A





Type C	Type D	Type A	Type B	Type C	Type D
GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 968-8-M5-18-A GN 968-8-M5-22-A	GN 968-8-M5-14-A GN 968-8-M5-18-A	GN 968-8-M5-22-A GN 968-8-M5-25-A	GN 968-8-M5-14-A GN 968-8-M5-18-A	GN 968-8-M5-22-A GN 968-8-M5-25-A

1. Your ELESA+GANTER product

The left hand column of the table shows the compatible ELESA+GANTER products, sorted in ascending standard number. At this point, first select the standard part to be mounted.

2. Your assembly set



The columns on the right hand side show assembly sets matching the selected products. Depending on the profile shape, select the standard GN 965 or GN 968. The list underneath the profile cross-sections show the order numbers for the matching sets.

Assembly sets GN 965 / GN 968		Type A 	Type B 	Type C 	Type D 	Type A 	Type B 	Type C 	Type D 
Compatible GN standards in ascending order of the standard numbers									
Hinges GN 127 (see page 1397)									
	GN 127-...-B	-		GN 965-8-M6-20-B		-		GN 968-10-M6-20-B ¹⁾	
Mounting plate GN 139.3 (for hinges with / without safety switch GN 139.1 / GN 139.2) (see page 1444)									
	GN 139.3-170	GN 965-6-M6-12-A		GN 965-8-M6-14-A		GN 968-8-M6-10-A		GN 968-10-M6-14-A	
Mounting plate GN 139.4 (for hinges with / without safety switch GN 139.1 / GN 139.2) (see page 1444)									
	GN 139.4-101	GN 965-6-M6-12-A		GN 965-8-M6-14-A		GN 968-8-M6-10-A		GN 968-10-M6-14-A	
Flanged connector clamps GN 145 (see page 1821)									
	GN 145-...	-		GN 965-8-M5-16-A		-		GN 968-10-M5-18-A	
Hinges CFA-SL (see page 1373)									
	CFA.65-SL-...	-		GN 965-8-M6-18-A		-		GN 968-10-M6-18-A ¹⁾	
Hinges CFG. (see page 1406)									
	CFG.30/30 SH-6 CFG.40/40 SH-6 CFG.45/45 SH-6	GN 965-6-M6-16-B		-		GN 968-8-M6-16-B		-	
		-		GN 965-8-M6-18-B		-		GN 968-10-M6-18-B ¹⁾	
		-		-		-		GN 968-10-M6-18-B ²⁾	





¹⁾ only for profile 40 x 40 ²⁾ only for profile 45 x 45

TECHNICAL DATA

GN 965 / GN 968 – Assembly sets for profile systems 30/40/45 continued

Assembly sets GN 965 / GN 968		Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
									
Compatible GN standards in ascending order of the standard numbers									
Double hinges CFI. (see page 1408)									
	CFI.30-30/30 SH-6 CFI.40-40/40 SH-6 CFI.45-45/45 SH-6	GN 965-6-M6-16-B – – GN 965-8-M6-18-B – –				GN 968-8-M6-16-B – – GN 968-10-M6-18-B ¹⁾ GN 968-10-M6-18-B ²⁾			
Hinges GN 161 (see page 1410)									
	GN 161-57 / 68 / 80	– GN 965-8-M6-16-B				GN 968-8-M6-14-B		GN 968-10-M6-18-B	
Base plate connector clamps GN 162.3 (see page 1828)									
	GN 162.3-...	GN 965-6-M5-16-A		GN 965-8-M5-18-A		GN 968-8-M5-14-A		GN 968-10-M5-18-A	
Connecting clamps MSX. (see page 1906)									
	MSX.56-B-8-10 MSX.56-B-10-12 MSX.56-B-12-14	GN 965-6-M6-12-A GN 965-6-M6-12-A GN 965-6-M6-12-A		GN 965-8-M6-14-A GN 965-8-M6-14-A GN 965-8-M6-14-A		GN 968-8-M6-10-A GN 968-8-M6-10-A GN 968-8-M6-10-A		GN 968-10-M6-14-A GN 968-10-M6-14-A GN 968-10-M6-14-A	
Fastening sets GN 181 for cabinet U-Handles (see page 488)									
	GN 181-ZD-8-M4-... GN 181-ZD-10-M5-... GN 181-ZD-...-M6-... GN 181-ZD-...-M8-...	GN 965-6-M4-10-B GN 965-6-M5-12-B GN 965-6-M6-12-B –		– GN 965-8-M5-14-B GN 965-8-M6-14-B GN 965-8-M8-16-B		– GN 968-8-M5-12-B GN 968-8-M6-12-B –		– – GN 968-10-M6-16-B GN 968-10-M8-16-B	
Tube supports GN 231 (see page 1844)									
	GN 231-B20 / B25 / B30 GN 231-V20 / V25 / V30	– –		GN 965-8-M8-14-A GN 965-8-M8-14-A		– –		GN 968-10-M8-14-A GN 968-10-M8-14-A	



¹⁾ only for profile 40 x 40 ²⁾ only for profile 45 x 45



Assembly sets GN 965 / GN 968		Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
									
Compatible GN standards in ascending order of the standard numbers									
Hinge CFR. (see page 1396)									
	CFR.60 SH-6	–	GN 965-8-M6-20-B			–	GN 968-10-M6-20-B ¹⁾		
Hinge CFM. (see page 1382)									
	CFM.60-45-SH-6	–	GN 965-8-M6-18-B			–	GN 968-10-M6-18-B ¹⁾		
Hinges with built-in safety switch CFSQ. (see page 1436)									
	CFSQ.60-SH-6-...	–	GN 965-8-M6-18-B			–	GN 968-10-M6-18-B ¹⁾		
Hinges with built-in safety multiple switch CFSW. (see page 1428)									
	CFSW.110-6-...	–	GN 965-8-M6-18-B			–	GN 968-10-M6-18-B ¹⁾		
Hinges CFMW. (see page 1434)									
	CFMW.70-SH-6	–	GN 965-8-M6-18-B			–	GN 968-10-M6-18-B ¹⁾		
	CFMW.110-SH-6	–	–			–	GN 968-10-M6-18-B ¹⁾		
Mounting plates PMW for hinges CFSW. / CFMW. (see page 1433)									
	PMW.110-30	GN 965-6-M6-16-B	–	GN 968-8-M6-14-B			–		
	PMW.110-40	–	GN 965-8-M6-18-B			–	GN 968-10-M6-18-B		
	PMW.110-45	–	–			–	GN 968-10-M6-18-B		
Swivel clamp connector bases GN 271 (see page 1847)									
	GN 271-25-...	–	GN 965-8-M5-18-A			–	GN 968-10-M5-18-A		

¹⁾ only for profile 40 x 40


TECHNICAL DATA



GN 965 / GN 968 – Assembly sets for profile systems 30/40/45 continued

Assembly sets GN 965 / GN 968		Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
									
Compatible GN standards in ascending order of the standard numbers									
Sensor holders GN 271.4 (see page 1872)									
	GN 271.4-B12-...	–	GN 965-8-M5-18-A			–	GN 968-10-M5-18-A		
	GN 271.4-B18-...	–	GN 965-8-M8-18-A			–	GN 968-10-M8-18-A		
Swivel clamp connector joints GN 281 (see page 1859)									
	GN 281-...	–	GN 965-8-M5-18-A			–	GN 968-10-M5-18-A		
Tubular handles GN 333 (see page 498)									
	GN 333-28-...-B-...	–	GN 965-8-M6-28-A			GN 968-8-M6-25-A	GN 968-10-M6-28-A		
Tubular handles GN 333.1 (see page 496)									
	GN 333.1-28-...-B-...	GN 965-6-M6-14-C	GN 965-8-M6-16-C			GN 968-8-M6-14-C	GN 968-10-M6-18-C		
Oval tubular handles GN 334.1 (see page 523)									
	GN 334.1-36-...	–	GN 965-8-M8-16-C			–	GN 968-10-M8-16-C		
Indexing plungers GN 412 (see page 789)									
	GN 412-5-35-...-1	GN 965-6-M4-16-A	–	–			–	–	
	GN 412-6-35-...-1	GN 965-6-M4-16-A	–	–			–	–	
	GN 412-8-47-...-1	GN 965-6-M5-18-A	GN 965-8-M5-20-A			GN 968-6-M5-18-A	GN 968-8-M5-20-A		
	GN 412-10-47-...-1	GN 965-6-M5-18-A	GN 965-8-M5-20-A			GN 968-6-M5-18-A	GN 968-8-M5-20-A		
Mounting blocks GN 412.1 (see page 814)									
	GN 412.1-35-...-1	GN 965-6-M4-16-A	–	–			–	–	
	GN 412.1-47-...-1	GN 965-6-M5-18-A	GN 965-8-M5-20-A			GN 968-8-M5-18-A	–		



Assembly sets GN 965 / GN 968		Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
									
Compatible GN standards in ascending order of the standard numbers									
Spring latches GN 416 (see page 790)									
	GN 416-6-38-...	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 416-8-38-...	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 416-8-46-...	–	GN 965-8-M6-16-A	–	GN 968-10-M6-18-A				
	GN 416-10-38-...	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 416-10-46-...	–	GN 965-8-M6-16-A	–	GN 968-10-M6-18-A				
Locators GN 416.1 (see page 791)									
	GN 416.1-6-38	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 416.1-8-38	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 416.1-8-46	–	GN 965-8-M6-16-A	–	GN 968-10-M6-18-A				
	GN 416.1-10-38	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 416.1-10-46	–	GN 965-8-M6-16-A	–	GN 968-10-M6-18-A				
Indexing plungers GN 417 (see page 792)									
	GN 417-5-A / -B / -C	GN 965-6-M4-12-A	–	GN 968-8-M4-12-A	–				
	GN 417-6-A / -B / -C	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 417-8-A / -B	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M6-18-A				
	GN 417-8-C	–	GN 965-8-M5-16-A	–	GN 968-10-M5-18-A				
	GN 417-10-A / -B / -C	–	GN 965-8-M6-16-A	–	GN 968-10-M6-18-A				
Locators GN 417.1 (see page 794)									
	GN 417.1-5	GN 965-6-M4-12-A	–	GN 968-8-M4-12-A	–				
	GN 417.1-6	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 417.1-8	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 417.1-10	–	GN 965-8-M6-16-A	–	GN 968-10-M6-18-A				
Base clamp mountings GN 473 (see page 1878)									
	GN 473-B8-...	GN 965-6-M4-10-A	GN 965-8-M4-14-A	GN 968-8-M4-10-A	GN 968-10-M4-14-A				
	GN 473-B10 / B12-...	–	GN 965-8-M5-12-A	–	GN 968-10-M5-14-A				
	GN 473-B15 / B16-...	–	GN 965-8-M6-14-A	–	GN 968-10-M6-14-A				
	GN 473-B20-...	–	GN 965-8-M6-18-A	–	GN 968-10-M6-18-A				
Clamp mountings GN 477 (see page 1879)									
	GN 477-B8-...	GN 965-6-M4-16-A	GN 965-8-M4-20-A	GN 968-8-M4-16-A	–				
	GN 477-B10 / B12-...	GN 965-6-M5-18-A	GN 965-8-M5-20-A	GN 968-8-M5-18-A	GN 968-10-M5-20-A				
	GN 477-B15 / B16 / B20-...	GN 965-6-M6-20-A	GN 965-8-M6-22-A	GN 968-8-M6-20-A	GN 968-10-M6-22-A				

TECHNICAL DATA

GN 965 / GN 968 – Assembly sets for profile systems 30/40/45 continued




Assembly sets GN 965 / GN 968		Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
									
Compatible GN standards in ascending order of the standard numbers									
Flanged bolts GN 480 (see page 1885)									
	GN 480-8-... GN 480-10 / 12-... GN 480-15 / 16 / 20-...	GN 965-6-M4-10-A GN 965-6-M5-10-A GN 965-6-M6-12-A	GN 965-8-M4-12-A GN 965-8-M5-12-A GN 965-8-M6-14-A	GN 968-8-M4-10-A GN 968-8-M5-10-A GN 968-8-M6-12-A	- GN 968-10-M5-12-A GN 968-10-M6-14-A				
Bridge handles M.443 CH / M.443 N-CH / M.443 AE-V0 / M.443-ESD (see page 435)									
	M.443/110-... M.443/140-6-... M.443/140-8-... M.443/145-... M.443/150-... M.443/170-... M.443/180-... M.443/190-... M.443/200-... M.443/260-...	GN 965-6-M6-14-A GN 965-6-M6-16-A - - - - - - - -	GN 965-8-M6-16-A GN 965-8-M6-16-A GN 965-8-M8-18-A - GN 965-8-M8-18-A GN 965-8-M8-18-A GN 965-8-M8-20-A GN 965-8-M8-20-A - -	GN 968-8-M6-14-A GN 968-8-M6-16-A - - - - - - - -	GN 968-10-M6-16-A GN 968-10-M6-20-A GN 968-10-M8-16-A GN 968-10-M8-16-A GN 968-10-M8-18-A GN 968-10-M8-18-A GN 968-10-M8-20-A GN 968-10-M8-20-A GN 968-10-M8-20-A GN 968-10-M8-20-A				
Angles SQT. (see page 1899)									
	SQT.40-18-...-8 SQT.40-25-...-8 SQT.43-43-A-8	- - -	GN 965-8-M8-18-C GN 965-8-M8-18-C -	GN 968-8-M6-14-C GN 968-8-M6-14-C -	- - GN 968-10-M8-18-C				
Cabinet U-Handles GN 565.1 (see page 416)									
	GN 565.1-20-... GN 565.1-26-...	GN 965-6-M5-22-A -	- GN 965-8-M6-22-A	GN 968-8-M5-20-A -	- GN 968-10-M6-22-A				
Inclined cabinet U-Handles GN 565.2 (see page 417)									
	GN 565.2-26-128-B-... GN 565.2-26-160-B-...	- -	GN 965-8-M6-22-C GN 965-8-M6-22-C	- -	GN 968-10-M6-22-C GN 968-10-M6-22-C				
Cam action indexing plungers GN 612.2 (see page 830)									
	GN 612.2-...-16-... GN 612.2-...-20-...	GN 965-6-M5-18-A GN 965-6-M5-22-A	GN 965-8-M5-22-A GN 965-8-M5-25-A	GN 968-8-M5-18-A GN 968-8-M5-22-A	- GN 968-10-M5-25-A				



Assembly sets GN 965 / GN 968		Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
									
Compatible GN standards in ascending order of the standard numbers									
Cam action indexing plungers GN 612.9 (see page 831)									
	GN 612.9-...-16-... GN 612.9-...-20-...	GN 965-6-M5-18-A GN 965-6-M5-22-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 968-8-M5-18-A GN 968-8-M5-22-A	– GN 968-10-M5-25-A				
Bridge handles EBP. (see page 428)									
	EBP.110-6-... EBP.140-6-... EBP.140-8-... EBP.150-8-... EBP.180-8-... EBP.200-8-...	GN 965-6-M6-16-A – – –	– GN 965-8-M8-28-A GN 965-8-M8-28-A GN 965-8-M8-28-A	GN 968-8-M6-14-A – – –	– GN 968-10-M8-28-A GN 968-10-M8-28-A GN 968-10-M8-28-A				
Guard safety handles ESP. (see page 476)									
	ESP.110-EH-... ESP.110-SH-...	GN 965-6-M6-16-A GN 965-6-M6-18-B	GN 965-8-M6-18-A GN 965-8-M6-22-B	GN 968-8-M6-16-A GN 968-8-M6-18-B	GN 968-10-M6-20-A GN 968-10-M6-22-B				
Guard wing handles EWP. (see page 477)									
	EWP.110-EH EWP.110-SH	GN 965-6-M6-16-A GN 965-6-M6-18-B	GN 965-8-M6-18-A GN 965-8-M6-22-B	GN 968-8-M6-16-A GN 968-8-M6-18-B	GN 968-10-M6-20-A GN 968-10-M6-22-B				
Panel support clamp PC (see page 1340)									
	PC.35	GN 965-6-M6-10-D	GN 965-8-M6-14-D	GN 968-8-M6-10-D	GN 968-10-M6-14-D				
Cabinet U-Handles M.1043 (see page 514)									
	M.1043/20-...	–	GN 965-8-M8-20-A	–	GN 968-10-M8-20-A				
Cabinet U-Handles M.1053 (see page 515)									
	M.1053 M.1053-P	– –	GN 965-8-M8-20-A GN 965-8-M8-20-A	– –	GN 968-10-M8-20-A GN 968-10-M8-20-A				

TECHNICAL DATA

GN 965 / GN 968 – Assembly sets for profile systems 30/40/45 continued

Assembly sets GN 965 / GN 968	Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
								
Compatible GN standards in ascending order of the standard numbers								

Spring latches GN 722.3 (see page 832)					
	GN 722.3-8-...	-	GN 965-8-M6-18-A	-	GN 968-10-M6-18-A
	GN 722.3-10-...	-	GN 965-8-M6-18-A	-	GN 968-10-M6-18-A
	GN 722.3-12-...	-	GN 965-8-M6-18-A	-	GN 968-10-M6-18-A
	GN 722.3-14-...	-	GN 965-8-M6-18-A	-	GN 968-10-M6-18-A

Cabinet U-Handles GN 728 (see page 441)					
	GN 728-120-B-...	GN 965-6-M6-14-A	-	GN 968-8-M6-14-A	-
	GN 728-180-B-...	-	GN 965-8-M8-18-A	-	GN 968-10-M8-18-A

Stainless Steel – Cabinet U-Handles GN 728.5 (see page 441)					
	GN 728.5-120-B-...	GN 965-6-M6-14-A	-	GN 968-8-M6-14-A	-

Angle pieces / Shackles GN 967 (see page 1000)					
	GN 967-...-20-...-1-...	GN 965-6-M5-12-A	GN 965-8-M5-14-A	GN 968-8-M5-12-A	GN 968-10-M5-14-A
	GN 967-...-20-...-2-...	GN 965-6-M5-12-B	GN 965-8-M5-14-B	GN 968-8-M5-12-B	GN 968-10-M5-14-B
	GN 967-...-30-...-1-...	GN 965-6-M6-12-A	GN 965-8-M6-14-A	GN 968-8-M6-12-A	GN 968-10-M6-14-A
	GN 967-...-30-...-2-...	GN 965-6-M6-12-B	GN 965-8-M6-14-B	GN 968-8-M6-12-B	GN 968-10-M6-14-B
	GN 967-...-40-...-1-...	-	GN 965-8-M8-16-A	-	GN 968-10-M8-16-A
	GN 967-...-40-...-2-...	-	GN 965-8-M8-16-B	-	GN 968-10-M8-16-B
	GN 967-...-45-...-1-...	-	GN 965-8-M8-16-A	-	GN 968-10-M8-16-A
	GN 967-...-45-...-2-...	-	GN 965-8-M8-16-B	-	GN 968-10-M8-16-B

Threaded flanges GN 3490 (see page 1012)					
	GN 3490-45-...	GN 965-6-M6-14-B	-	GN 968-6-M6-14-B	GN 968-8-M8-16-B
	GN 3490-60-...	-	GN 965-8-M8-16-B	-	GN 968-8-M8-16-B